

# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

## Section 1. Identification of the substance or mixture and the company

### 1.1 Product Identifier

Light-curing stump varnish for dental applications (see appendix for item numbers)

### 1.2 Relevant identified uses of the substance/mixture

Sealing of plaster stumps and space maintainers

### 1.3 Details of the manufacturer/supplier providing the safety data sheet

YETI Dentalprodukte GmbH

Industriestr. 3

DE-78234 Engen

[www.yeti-dental.com](http://www.yeti-dental.com)

[www.dentalwax.com](http://www.dentalwax.com)

[info@yeti-dental.com](mailto:info@yeti-dental.com)

Tel. +49 (0)7733-9410-0

Fax +49 (0)7733-9410-20

#### Contact for Technical Information / Application Engineering

Equipment +49 (0)7733-9410-14 [technik@yeti-dental.com](mailto:technik@yeti-dental.com)

Dental Technology +49 (0)7733-9410-20 [labor@yeti-dental.com](mailto:labor@yeti-dental.com)

### 1.4 Emergency Information

Phone +49 (0)7733-9410-0

## Section 2. Potential Hazards

### 2.1 Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008

Flam.liq.2	H225	Highly flammable liquid and vapor
Skin Irrit.2	H315	Causes skin irritation
Skin Sens.1	H317	May cause allergic skin reactions
Eye Irrit.2	H319	Causes severe eye irritation
STOT SE 3	H335	May irritate the respiratory tract
Aquatic Chronic 2	H411	toxic to aquatic organisms, with long-term effects
Repr. 1B	H360	May impair fertility or harm the unborn child



Gefahr



Achtung



Gefahr





# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

## **H225 Liquid and vapor are highly flammable**

- P210 Keep away from heat, sparks, open flames, and hot surfaces. Do not smoke.
- P233 Keep container tightly closed.
- P240 Ground the container and the equipment to be filled.
- P241 Use explosion-proof electrical equipment / ventilation systems / lighting / ...
- P242 Use only non-sparking tools.
- P243 Take measures to prevent electrostatic charging.
- P303 + P361 + P353 If on skin (or hair): Immediately remove all contaminated, soaked clothing immediately. Wash skin with water/shower.
- P353 Wash skin with water or take a shower.
- P370 + P378 In case of fire: ... use to extinguish.
- P403 + P235 Store in a cool, well-ventilated place.

## **H319 Causes severe eye irritation**

- P264 Wash after handling
- P280 Wear protective gloves, protective clothing, eye protection, and face protection
- P305 + P351 + P338 If in eyes: Gently rinse with water for several minutes  
. Remove contact lenses if possible. Continue rinsing.
- P337 + P313 If eye irritation persists: seek medical advice / seek medical attention.

## **H335 may irritate the respiratory tract**

- P261 Avoid inhaling dust / smoke / gas / mist / vapor / aerosol.
- P271 Use only outdoors or in well-ventilated areas.
- P304 + P340 If inhaled: Move to fresh air and place in a position  
that makes breathing easier.
- P312 If you feel unwell, call a poison control center or a doctor.
- P403 + P233 Keep container tightly closed in a well-ventilated area.
- P405 Keep under lock and key.
- P501 Dispose of contents/container ...
- P303+P361+P353 IF ON SKIN (or hair): Remove all contaminated clothing immediately. Wash skin with water/shower.
- P353 Wash skin with water or take a shower.
- P370+P378 In case of fire: ... use to extinguish.

## **H315 Causes skin irritation**

- P264 Wash ... thoroughly after handling.
- P280 Wear protective gloves, protective clothing, eye protection, and face protection.
- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P321 Special treatment (see ... on this label)
- P332 + P313 If skin irritation occurs: Seek medical advice/medical attention
- P362 + P364 Remove contaminated clothing and wash before wearing again.



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

- H317** **May cause allergic skin reactions**  
P272 Do not wear contaminated clothing outside the workplace  
P302+P352 If on skin: Wash with plenty of soap and water.  
P333+P313 If skin irritation or rash occurs: Get medical advice/medical attention
- H411** **Toxic to aquatic life with long-lasting effects**  
P273 Avoid release into the environment.
- H360** **May impair fertility. May harm the unborn child.**  
P201 Obtain specific instructions before use.  
P202 Read and understand all safety instructions before use.  
P280 Wear protective gloves, protective clothing, eye protection, and face protection.  
P308+P313 IF exposed or affected: Seek medical advice/medical attention.  
P405 Keep locked up.  
P501 Dispose of contents/container ...

**2.2 Endocrine-disrupting properties**  
The product does not contain any substances, materials, or mixtures of substances that exhibit endocrine-disrupting properties.

**2.3 Other Information**  
No other harmful effects on health are known

## Section 3. Composition / Information on Ingredients

### 3.1 Chemical Characterization / Hazardous Ingredients

Substance	CAS No./EINECS No./EC No.	Content (%)	Identification
Methyl methacrylate	80-62-6/201-297 Index 607-035-00-6	10–30%	H225 Flammable Liquid 2 H315 Skin Irrit. 2; H317 Skin Sens. 1 H335 STOT SE 3
Hydroxyethyl methacrylate	868-77-9 / 212-782-2 / 607-124-00-X	1–5%	H315 Skin Irrit. 2; H317 Skin Sens. 1; H319 Eye Irrit. 2
Aliphatic Urethane acrylate		10–25%	H302 Acute Tox. 4; H315 Skin Irrit. 2; H317 Skin Sens. 1; H411 Aquatic Chronic
Vinyl ester resin	4687-94-9	5–10%	H317 Skin Sens. 1 H411 Chronic aquatic toxicity 2
Camphorquinone	10373-78-1 / 233-814-1	0.1–1.0%	H319 Eye Irrit.2 H315 Skin Irrit.2 H335 STOT SE 3
Benzophenone	119-61-9 / 204-337-6	5–10%	H319 Eye Irrit.2 H315 Skin Irrit.2



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

			H412 Chronic aquatic toxicity <sup>3</sup>
Phosphine oxide	CAS No.: 75980-60-8 EC No.: 278-355-8	0.5–2	H361f Rep. 2 H412 Aquatic Chronic. 3
Isopropylthioxanthone	CAS No.: 5495-84-1/ 83846-86-0	1–3	H302 Acute Tox. 4 H413 Chronic aquatic toxicity 4
2-Ethylhexyl 4-(dimethylamino)benzoate	CAS No.: 21245-02-3 EC No.: 244-289-3	1–5	H360 Repro. 1B H315 Skin Irrit. 2 H319 Eye Irrit. 2 H335 STOT SE 3
Dispersing agent in xylene	CAS No.: 1330-20-7	0.5–2	H226 Flammable liquid 3 H315 Skin Irrit. 2

## Section 4. First Aid Measures

### 4.1 Description of First Aid Measures

Remove contaminated clothing immediately.

If health problems occur, consult a doctor.

#### After Inhalation

Provide fresh air. If the product irritates the respiratory tract, seek medical attention. In case of loss of consciousness, position the person in the recovery position for storage and transport.

#### After skin contact

Wash off with plenty of water and soap. If skin irritation persists, seek medical attention.

#### After eye contact

Remove contact lenses. Immediately rinse with plenty of water for at least 15 minutes, keeping the eyelids slightly open. If irritation persists, seek medical attention.

#### If swallowed

Rinse mouth thoroughly immediately. Contact a doctor immediately.

### 4.3 Indications for immediate medical attention or special treatment

If the person is unconscious, call emergency medical services immediately

## Section 5. Firefighting Measures

### 5.1 Extinguishing Media

Suitable: Foam, carbon dioxide, dry chemical. Adapt measures to the surrounding environment.

Not suitable: Water

### 5.2 Special hazards posed by the substance or mixture



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish      Effective as of: June 17, 2026    Version: 9.0

Revised on: June 16, 2026      Replaces version:      8

In case of fire, hazardous vapors/gases may be released: carbon monoxide, carbon dioxide.

## 5.3 Firefighting instructions

Do not enter the hazard area without a self-contained breathing apparatus.

Follow standard procedures for fighting chemical fires.

## Section 6. Measures in Case of Accidental Release

### 6.1 Personal Precautions, Protective Equipment, and Emergency Procedures

Wear protective equipment. Remove ignition sources. Ensure adequate ventilation.

Warn/keep people in the hazard area away. Isolate leaking containers

. Avoid contact with eyes and skin.

If exposed to vapors, dust, or aerosols, use a ventilation system.

### 6.2 Environmental Protection Measures

Prevent the product and large quantities of extinguishing agents from entering water bodies and soil. Cover sewer systems to prevent entry.

### 6.3 Methods and Materials for Containment and Cleanup

Stains of uncured material can be cleaned with a cloth or paper towel soaked in isopropanol or ethyl acetate.

Absorbing small quantities or residues: Absorb with liquid-absorbing material (e.g., sand, diatomaceous earth, acid binders, universal binders, sawdust). Dispose of in accordance with regulations.

Remove cured material mechanically, cure it under light, and dispose of it (this is essentially highly dispersed silica in acrylic glass, which should be treated as plastic waste).

## Section 7. Handling and Storage

### 7.1 Precautions for Safe Handling

- Observe the standard precautions for handling chemicals.
- Keep containers tightly closed. Ensure good room ventilation.
- Wear a lab coat while working
- Avoid skin contact by using instruments and minimal-contact techniques
- Wear appropriate gloves
- Wash hands before and after work, as well as before breaks
- Do not eat, drink, or smoke in work areas
- Remove contaminated clothing/protective gear before entering areas where people are eating,



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

## Fire and Explosion Safety Precautions

Vapors are heavier than air. Explosive vapor/air mixtures can form even at normal temperatures. Do not smoke.

Keep away from oxidizing and fire-promoting substances.

## 7.2 Conditions for safe storage, taking incompatibilities into account

### Information on storage conditions

Recommended storage temperature: Room temperature; store in a cool, dry place, protected from light and direct sunlight.

### Requirements for Storage Areas and Containers

Store in a location with a solvent-resistant floor or on a spill containment tray to ensure that groundwater is protected in the event of a spill.

Always store in containers that correspond to the original packaging

**Storage class:** 3 (flammable liquids)

## 7.3 Specific End Uses

Used in the dental field for sealing and as a space maintainer

## Section 8. Exposure Limits and Monitoring / Personal Protective Equipment

### Methyl methacrylate 80-62-6

Air exposure limit (MAK) 2000 210 mg/m<sup>3</sup> 50 ml/m<sup>3</sup>

Peak Limit Exceedance Factor =1=Y - There is no risk of fetal harm if the MAK and BAT are observed.

### Personal Protective Equipment:

General protective measures

Do not inhale vapors. Avoid contact with eyes and skin.

### Hygiene Measures

Store work clothing separately. Remove soiled or saturated clothing immediately. Follow standard occupational hygiene practices. Apply skin protection ointment as a preventive measure.

### Respiratory Protection

Respiratory protection required at high concentrations; for short periods, use a filtering respirator with Filter A

### Eye protection

Tight-fitting safety goggles



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish      Effective as of: June 17, 2026    Version: 9.0

Revised on: June 16, 2026      Replaces version:      8

## Hand protection

See Handling and Storage

## General Information

Protective gloves should be changed regularly, especially after intensive contact with the product. A suitable type of glove must be selected for each workstation.

## Section 9. Physical and Chemical Properties

### Appearance:

Appearance:

Liquid

Color:

Depending on coloring: red, blue, natural

Odor:

like acrylates / methacrylates

Odor threshold:

Not determined

Melting point:

Not determined

Initial boiling point/

Boiling range:

Not determined

Evaporation rate:

Not determined

Vapor pressure:

Not determined

Vapor density:

Not determined

Relative density:

Not determined

Autoignition temperature

Not determined

Decomposition temperature

Not determined

### Safety-related data:

pH value:

Not applicable

Flash point:

23 °C (not determined, but estimated based on the ingredients)

Relative density:

Not determined

Water solubility:

insoluble



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish      Effective as of: June 17, 2026      Version: 9.0

Revised on: June 16, 2026      Replaces version:      8

## Section 10. Stability and Reactivity

### 10.1 Reactivity

No decomposition occurs when used as intended. Protect from heat, direct sunlight, and light exposure—risk of premature polymerization.

### 10.2 Chemical Stability

The product is chemically stable under normal ambient conditions (room temperature).

### 10.3 Incompatible Materials

The product polymerizes upon contact with radical initiators.

### 10.4 Hazardous decomposition products

No hazardous decomposition products known

**10.5** If stored for an extended period at storage temperature, the product may polymerize with slight heat generation.

## Section 11. Toxicological Information

Estimated based on the ingredients:

### 11.1 Acute toxicity:

**on the skin:** Irritation

**To the eyes:** Irritation

**Respiratory tract:** Irritation/Aspiration hazard

**Sensitization/Skin:** Sensitization may occur through skin contact upon exposure.

**Organ damage:** May cause organ damage with prolonged or repeated exposure.

### Additional toxicological information:

The product is subject to labeling requirements.

Based on our experience and the information available to us, the product does not cause any adverse health effects when handled properly and used as intended.

### 11.2 Information on Other Hazards

#### 11.2.1 Endocrine-disrupting properties

The product does not contain any substances, materials, or mixtures of substances that exhibit endocrine-disrupting properties.

#### 11.2.2 Other Information



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish      Effective as of: June 17, 2026    Version: 9.0

Revised on: June 16, 2026      Replaces version:      8

No other adverse health effects are known.

## Section 12. Environmental Information / Ecological Information

Estimated based on the ingredients

### Persistence and degradability:

Degree of degradation:      Not determined, but at least 80% degradable

### Aquatic toxicity:

Acute fish toxicity:      Not determined, but toxic to fish due to its constituents

### Additional information on ecology:

Do not allow the material to enter soil, water bodies, or the sewer system

.

**Water Hazard Class WGK 2** (based on an assessment of the ingredients)

hazardous to water

## Section 13. Disposal Instructions

### The product itself:

#### Recommendation:

- uncured material:

Waste code: 16 03 05 (organic waste containing hazardous substances)

The waste code must be assigned in accordance with the EAK Regulation on an industry- and process-specific basis.

- Cured material

In accordance with local/national regulations, special handling is generally required:

Do not allow to enter the sewer system.

Dispose of in accordance with local regulations.

### Uncleaned packaging:

#### Recommendation:

- Handle as described under "uncured material."



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

## Section 14. Transport Information

### 14.1 UN Number or ID Number

UN 1263

### 14.2 Proper UN shipping name

ADR/RID: PAINT

IMDG/IATA: PAINT

### 14.3 Transport hazard classes

3

### 14.4 Packaging Group

III

### 14.5 Environmental Hazards

Marine pollutant: No, provided the finished product is not classified as hazardous to the environment.

### 14.6 Special Precautions for Users

Keep away from heat, sparks, open flames, direct sunlight, and impurities that trigger polymerization.

Transport only in tightly sealed original containers.

### ADR/RID Additional Information

Classification code: F1

Hazard label: 3

Hazard number: 30

Tunnel restriction code: D/E

Limited Quantity: 5 L

Exempted quantity: E1

Transport category: 3

### IMDG Additional Information

Hazard label: 3

EmS: F-E, S-E

Limited quantity: 5 L

Exempted quantity: E1

### IATA Additional Information

Hazard label: 3

ERG Code: 3L

Passenger and Cargo Aircraft: PI 355

Cargo Aircraft Only: PI 366

Limited Quantity: Y344, 10 L

## Section 15. Regulations

### 15.1 Regulations on Safety, Health, and Environmental Protection / Specific Legal Requirements for the Substance or Mixture

# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

GHS labeling in accordance with Regulation (EC) No. 1272/2008 (GHS/CLP)

## Classification of the mixture

according to Regulation (EC) No. 1272/2008:

-Flammable liquid 2	<b>H225</b>	Liquid and vapor are highly flammable
-Eye Irrit. 2	<b>H319</b>	Causes severe eye irritation
-STOT SE 3	<b>H335</b>	may irritate the respiratory tract
-Skin Irrit. 2	<b>H315</b>	Causes skin irritation
-Skin Sens. 1	<b>H317</b>	May cause allergic skin reactions
Aquatic Chronic 2	<b>H411</b>	Toxic to aquatic organisms, with long-term effects
Repr. 1B	<b>H360</b>	may impair fertility or harm the unborn child



Gefahr



Achtung



Gefahr



### **H225** Liquid and vapor are highly flammable

- P210 Keep away from heat, sparks, open flames, and hot surfaces. Do not smoke.  
 P233 Keep container tightly closed.  
 P240 Ground the container and the equipment to be filled.  
 P241 Use explosion-proof electrical systems/ventilation systems/lighting systems/...

P242 Use only non-sparking tools

P243 Take measures to prevent electrostatic charging.

P303+P361+P353 IF ON SKIN (or hair): Remove all contaminated clothing immediately. Wash skin with water/shower.

P353 Wash skin with water or take a shower.

P370+P378 In case of fire: ... use to extinguish.

### **H319** Causes severe eye irritation

P264 Wash after handling

P280 Wear protective gloves, protective clothing, eye protection, and face protection

P305+P351+P338 IF IN EYES: Gently rinse with water for several minutes for several minutes. Remove any contact lenses if possible. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

## **H335 may irritate the respiratory tract**

P261 Avoid inhaling dust / smoke / gas / mist / vapor / aerosol

P271 Use only outdoors or in well-ventilated areas.

P304 + P340 If inhaled: Move to fresh air and place in a position that makes breathing easier.

P312 If you feel unwell, call a poison control center or a doctor.

P403 + P233 Keep container tightly closed in a well-ventilated area.

P405 Keep under lock and key.

P501 Dispose of contents/container ...

P303+P361+P353 IF ON SKIN (or hair): Remove all contaminated clothing immediately. Wash skin with water/shower.

P353 Wash skin with water or take a shower.

P370+P378 In case of fire: ... use to extinguish.

## **H315 Causes skin irritation**

P264 Wash ... thoroughly after handling.

P280 Wear protective gloves, protective clothing, eye protection, and face protection.

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P321 Special treatment (see ... on this label)

P332 + P313 If skin irritation occurs: Seek medical advice/medical attention

P362 + P364 Remove contaminated clothing and wash before wearing again.

## **H317 May cause allergic skin reactions**

P272 Do not wear contaminated work clothes outside the workplace

P302 + P352 IF ON SKIN: Wash with plenty of water/...

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

## **H411 Toxic to aquatic life with long-lasting effects**

P273 Avoid release into the environment

## **H360 May impair fertility. May harm the unborn child.**

P201 Obtain special instructions before use.

P202 Read and understand all safety instructions before use.

P280 Wear protective gloves, protective clothing, eye protection, and face protection.

P308+P313 IF exposed or affected: Seek medical advice/medical attention.

P405 Keep locked up.

P501 Dispose of contents/container ...



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish Effective as of: June 17, 2026 Version: 9.0

Revised on: June 16, 2026 Replaces version: 8

## Section 16. Other Information

### Applicable EC Directives

Preparations Directive (1999/45/EC), as last amended by Directive 2006/8/EC  
Substances Directive (67/548/EEC), as last amended by Directive 2006/121/EC  
REACH Regulation (EC) No. 1272/2008, as last amended by Regulation (EC) 2020/878.

### Restrictions on use recommended by the manufacturer

For dental applications only

### H-statements referred to in Section 3:

H225	Flammable Liquid 2	Liquid and vapor are highly flammable
H319	Eye Irrit. 2	Causes severe eye irritation
H335	STOT SE 3	May irritate the respiratory tract
H315	Skin Irrit. 2	Causes skin irritation
H317	Skin Sens. 1	May cause allergic skin reactions
H360	Repro. 1B	May impair fertility or harm the child in the womb
H411	Aquatic Chronic 2	toxic to aquatic organisms, with long-term effects

### Other Information

Sources: 1 <http://www.baua.de>

2 <http://www.arbeitssicherheit.de>

Some of the information provided here and the resulting conclusions are derived from sources other than direct test data on the product itself.

The content and format of this safety data sheet comply with the REACH Regulation (EC) No. 2020/878.

### Limitations of Warranty

The information in this Safety Data Sheet is derived from sources we consider reliable. Nevertheless, this information is provided without any express or implied warranty as to its accuracy.

The conditions or methods of handling, storage, use, or disposal of this product are beyond our control and may be beyond our knowledge.

For this and other reasons, we expressly assume no responsibility for loss, damage to the product, or any other costs arising in connection with the use, storage, or disposal of the product.



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish      Effective as of: June 17, 2026    Version: 9.0

Revised on: June 16, 2026      Replaces version:      8

This safety data sheet was prepared specifically and expressly for this product only and is intended solely for that purpose.

If this product is used as a component of another product, this information does not apply.

The information in this Safety Data Sheet reflects our current state of knowledge and complies with national and EU legislation. We have no knowledge of or control over the user's specified working conditions. The product may not be used for any purpose other than that specified in Section 1 without written authorization. The user is responsible for complying with all necessary legal requirements.

The information in this Safety Data Sheet describes the safety requirements of our product; however, it does not constitute a warranty of product properties and does not establish a contractual relationship

## Legend/Acronyms

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
BImSchV	Regulation Implementing the Federal Immission Control Act
CAS	Chemical Abstracts Service
DIN	Standard of the German Institute for Standardization
EC	Effective concentration
EC/EN	European Community / European Standard
IATA-DGR	International Air Transport Association Dangerous Goods Regulations
IBC Code	International Code for the Construction and Equipment of Ships for the Carry Dangerous Chemicals in Bulk
ICAO-TI	International Civil Aviation Organization—Technical Instructions
IMDG Code	International Maritime Code for Dangerous Goods
ISO	Standard of the International Organization for Standardization
IUCLID	International Uniform Chemical Information Database
LC/LD	Lethal Concentration / Lethal Doses
Log Kow	Partition coefficient between octanol and water
MARPOL	Marine Pollution Convention—Prevention of Marine Pollution by Ships
OECD	Organization for Economic Cooperation and Development
PBT	Persistent, bioaccumulative, toxic
RID	Regulations for the International Carriage of Dangerous Goods by Rail
TRGS	Technical Rules for Hazardous Substances
VOC	Volatile Organic Compounds
vPvB	Very Persistent and Very Bioaccumulative
VwVwS	Administrative Regulation on Water-Polluting Substances
WGK	Water Hazard Class



# Safety Data Sheet

in accordance with Regulation (EC) No. 2020/878

Trade name: Light-curing stump varnish      Effective as of: June 17, 2026    Version: 9.0

Revised on: June 16, 2026      Replaces version:      8

Appendix:

---

**Article:** 520-1000

520-2000

520-3000